



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Mon, 17 Oct 2005, 8:39:37 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((convert or format<in>metadata) <and>
(character<in>metadata))<and> (double byte or multiple
byte<in>metadata)
- #2 ((convert or format<in>metadata) <and>
(character<in>metadata))<and> (double byte or multiple
byte<in>metadata)
- #3 ((convert character<in>metadata) <and> (double byte
<in>metadata))<and> (multiple byte<in>metadata)
- #4 ((double byte<in>metadata) <and> (multiple
byte<in>metadata))
- #5 ((convert\$4 or format<in>metadata) <and>
(character<in>metadata))<and> (unicode<in>metadata)
- #6 (character set plane<in>metadata)
- #7 ((determine<in>metadata) <and> (character
set<in>metadata))
- #8 ((convert or format<in>metadata) <and> (character
set<in>metadata))
- #9 ((map unicode<in>metadata) <and>
(character<in>metadata))<and> (convert or
format<in>metadata)
- #10 ((web<in>metadata) <and> (plane<in>metadata))<and>
(row<in>metadata)
- #11 ((double bytes<in>metadata) <and> (convert or
format<in>metadata))

Indexed by
Inspecc

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE -

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S26	908	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (convert\$4 same format\$4 same type\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
L16	36	((large big) near3 character\$2 near2 set) and unicode\$2) and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
L15	305	((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
L14	1090	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (convert\$4 same format\$4 same type\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
L12	305	((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
L8	36	((large big) near3 character\$2 near2 set) and unicode\$2) and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:26
S60	41	multiple near3 (sixteen adj bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
S41	56	((character near2 set) and ((web\$5 (web near4 (page\$2 site\$2))) same (table frame (column row)))) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
S17	185	((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
S3	189	((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2))) and (convert\$4 same format\$4)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
L13	286	((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2))) and (convert\$4 same format\$4)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25

L11	43	multiple near3 (sixteen adj bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
L10	86	((character near2 set) and ((web\$5 (web near4 (page\$2 site\$2))) same (table frame (column row)))) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
L9	517	((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:25
S15	334	((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
S10	29	((large big) near3 character\$2 near2 set) and unicode\$2) and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
S8	219	(large big) near3 character\$2 near2 set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
S5	10708	709/203,217,219,226,229,246. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
L7	255	(large big) near3 character\$2 near2 set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
L6	14594	709/203,217,219,226,229,246. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
L5	14594	709/203,217,219,226,229,246. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 08:24
L4	1	2 and (conver\$6 format\$4 identif\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 07:28
L3	1	2 and (conver\$6 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 07:28

L2	1	"6,157,905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 07:28
L1	7	"6,157,905"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 07:28
		"1" and ((web\$5 (web near4 (page\$2 site\$2)) same ((table frame (column row))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 07:28
S99	1	"6425123".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/09 14:17
S98	1	"6718519".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/09 14:17
S97	84676	character\$2 same (conver\$6 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:46
S96	56	S95 and (conver\$5 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:46
S95	65	S94 not S92	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:05
S94	67	S93 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:05
S93	84	(hundred near3 thousand near3 character\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:04
S92	68	S91 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:04
S68	209	S67 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:45

S91	136	('100000' '100,000') near3 character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:44
S90	1	S89 and (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:44
S89	1	S88 and (unicode\$2 ascii)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:08
S88	1	S87 and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:08
S87	1	"6718519".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
S86	0	S85 and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
S85	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
S84	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
S83	1	"5157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:24
S82	0	('not' same (unicode\$2 ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:21
S81	23480	(unicode\$2 ascii)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18
S80	0	('not' near5 (unicode\$2 ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18

S79	0	('not' near5 (unicode\$2 ascii)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18
S78	41	S76 not S77	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:17
S77	301	S76 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:12
S76	342	S75 and (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27
S75	379	S74 not S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27
S71	209	S70 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27
S74	436	(('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) and character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:26
S70	264	(('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:26
S73	167	S71 not S72	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S72	54	(('2' two multiple) adj (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S64	54	(('2' two multiple) adj (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S69	167	S68 not S64	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:41

S67	264	((('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) same (convert\$4 format\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:41
S66	5	((('2' two multiple) near3 (sixteen adj byte\$2)) same (convert\$4 format\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:52
S65	3	((('2' two multiple) adj (sixteen adj byte\$2)) same (convert\$4 format\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:52
S63	381	((('2' two multiple) adj (sixteen adj bit\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:26
S61	1322	('2' two multiple) near3 (sixteen adj bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:26
S62	6	(multiple near3 (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:25
S59	2058	('2' two multiple) near3 (sixteen near3 bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:23
S58	1840	('2' two) near3 sixteen near3 bit\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:21
		(S55 two) near3 sixteen near3 bit\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:20
S53	29	(double-byte\$2 (double\$2 near3 byte\$2)) near3 (multiple\$2 multi\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:19
S57	0	S56 and double-byte	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:30
S56	1	"20020120654"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:30

S55	1	S54 and multi\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
S54	1	"6425123".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
		S54 and (multi\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
S52	43	S51 and (text\$4 near\$5 authori\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:18
S51	6375	rank\$4 near4 (document\$2 file\$2 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:17
S50	1	"6397259".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:17
S49	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 17:28
S48	0	S46 and screen	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:56
S47	1	S46 and (display\$4 show\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:56
S46	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:40
S43	2	"6157905" and font\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 17:56
S42	5	"6157905"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 17:56

S40	1159	"3" and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:43
S39	578	(character near2 set) and ((web\$5 (web near4 (page\$2 site\$2))) same (table frame (column row)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:42
S38	16899	character near2 set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:40
S37	40	(row same column same format same plane) and (character font)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:40
S36	130	row same column same format same plane	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 11:03
S35	1062538	row same column same format plane	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 11:01
S34	6083	row same column same format	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 11:01
S33	1	"6222719".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 10:55
S1	28748	((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 10:55
S32	177	(((((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (transform\$5 convert\$4 same format\$4)) and unicode\$2) and character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 11:15
S31	177	(((((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (transform\$5 convert\$4 same format\$4)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 11:15
S30	8599	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (transform\$5 convert\$4 same format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 11:01

S29	106	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (convert\$4 same format\$4)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 11:01
S28	3938	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (convert\$4 same format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 11:00
S27	33	((detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))) and (convert\$4 same format\$4 same type\$2)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 10:51
S25	38625	(detect\$4 identif\$5) near6 (character\$2 (character near4 set\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 10:48
S24	1	"6157905".pn. and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 10:47
S23	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/21 10:40
S22	16	(((((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))) ((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)) and unicode\$2)) and (plane\$2 and row\$2 and column\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 16:24
S21	151	(((((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))) ((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)) and unicode\$2)) and (plane\$2 row\$2 column\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 16:21

S20	294	(((((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))) (((((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)) and unicode\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 16:20
S19	105	(((((character near4 set\$2) and unicode\$2) and (format\$4 and convert\$4)) and (html web\$5 (web near4 (page\$2 site\$2)))) not (((((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)) and unicode\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:58
S18	189	(((((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:58
S16	265790	"24" and (html web\$5 (web near4 (page\$2 site\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:57
S14	519	(character near4 set\$2) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:46
S13	32	((((large big) near3 character\$2 near2 set) and unicode\$2) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:46
S12	23575	character near4 set\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 13:45
S11	29	(((((large big) near3 character\$2 near2 set) and unicode\$2) and (format\$4 convert\$4)) and character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 11:06
S9	32	((large big) near3 character\$2 near2 set) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 11:03
S7	5095	(large big) near3 character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 11:02

S6	7395	707/10,100,101,203.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 11:02
S4	2929	715/513,516,517,523,524,530, 542,536.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/19 10:55
S2	5292	((file\$2 web\$5 html (web near4 (page\$2 site\$2))) same (character\$2 (character near3 set\$2)))) and (convert\$4 same format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/18 10:17